

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	467	((514/259.31) or (544/281)).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/11/02 12:34
L2	31	L1 and ("[1,5-a]pyrimidin" "[1,5-a]" "(1,5-a)")	US-PGPUB; USPAT	OR	ON	2005/11/02 12:34

10/654,546

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:sssptal61ltxm

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * Welcome to STN International * * * * *

NEWS 1 Web Page URLs for STN Seminar Schedule - N. America
NEWS 2 "Ask CAS" for self-help around the clock
NEWS 3 JUL 20 Powerful new interactive analysis and visualization software,
STN AnaVist, now available
NEWS 4 AUG 11 STN AnaVist workshops to be held in North America
NEWS 5 AUG 30 CA/CAPLUS - Increased access to 19th century research documents
NEWS 6 AUG 30 CASREACT - Enhanced with displayable reaction conditions
NEWS 7 SEP 09 ACD predicted properties enhanced in REGISTRY/ZREGISTRY
NEWS 8 OCT 03 MATHDI removed from STN
NEWS 9 OCT 04 CA/CAPLUS-Canadian Intellectual Property Office (CIPO) added
to core patent offices
NEWS 10 OCT 06 STN AnaVist workshops to be held in North America
NEWS 11 OCT 13 New CAS Information Use Policies Effective October 17, 2005
NEWS 12 OCT 17 STN(R) AnaVist(TM), Version 1.01, allows the export/download
of CAPLUS documents for use in third-party analysis and
visualization tools
NEWS 13 OCT 27 Free KWIC format extended in full-text databases
NEWS 14 OCT 27 DIOGENES content streamlined
NEWS 15 OCT 27 EPFULL enhanced with additional content

NEWS EXPRESS JUNE 13 CURRENT WINDOWS VERSION IS V8.0, CURRENT
MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP),
AND CURRENT DISCOVER FILE IS DATED 13 JUNE 2005

NEWS HOURS STN Operating Hours Plus Help Desk Availability
NEWS INTER General Internet Information
NEWS LOGIN Welcome Banner and News Items
NEWS PHONE Direct Dial and Telecommunication Network Access to STN
NEWS WWW CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that
specific topic.

All use of STN is subject to the provisions of the STN Customer
agreement. Please note that this agreement limits use to scientific
research. Use for software development or design or implementation
of commercial gateways or other similar uses is prohibited and may
result in loss of user privileges and other penalties.

* * * * * STN Columbus * * * * *

FILE 'HOME' ENTERED AT 13:44:41 ON 02 NOV 2005

=> file reg

Thomas McKenzie

Page 1

10/654,546

FILE 'REGISTRY' ENTERED AT 13:44:54 ON 02 NOV 2005
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2005 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file
provided by InfoChem.

STRUCTURE FILE UPDATES: 31 OCT 2005 HIGHEST RN 866452-21-3
DICTIONARY FILE UPDATES: 31 OCT 2005 HIGHEST RN 866452-21-3

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH JULY 14, 2005

Please note that search-term pricing does apply when
conducting SmartSELECT searches.

*
* The CA roles and document type information have been removed from *
* the IDE default display format and the ED field has been added, *
* effective March 20, 2005. A new display format, IDERL, is now *
* available and contains the CA role and document type information. *
*



Structure search iteration limits have been increased. See HELP SLIMITS
for details.

REGISTRY includes numerically searchable data for experimental and
predicted properties as well as tags indicating availability of
experimental property data in the original document. For information
on property searching in REGISTRY, refer to:

<http://www.cas.org/ONLINE/UG/regprops.html>

=>

Uploading C:\Program Files\Stnexp\Queries\10654546.str



chain nodes :
10 11 14 15 16
ring nodes :
1 2 3 4 5 6 7 8 9
ring/chain nodes :
17
chain bonds :
1-14 6-10 7-16 8-11 10-15 10-17
ring bonds :

10/654,546

1-2 1-6 2-3 3-4 4-5 4-7 5-6 5-9 7-8 8-9

exact/norm bonds :

1-2 1-6 1-14 2-3 3-4 4-5 5-6 5-9 6-10 7-16 8-9 10-17

exact bonds :

4-7 7-8 8-11 10-15

isolated ring systems :

containing 1 :

G1:X,H,CH3,Et,n-Pr,i-Pr,n-Bu,i-Bu,s-Bu,t-Bu

G2:Cl,Et

Match level :

1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:Atom

11:CLASS 14:CLASS 15:CLASS 16:CLASS 17:CLASS

L1 STRUCTURE UPLOADED

=> s l1

SAMPLE SEARCH INITIATED 13:45:16 FILE 'REGISTRY'

SAMPLE SCREEN SEARCH COMPLETED - 140 TO ITERATE

100.0% PROCESSED 140 ITERATIONS

3 ANSWERS

SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**

BATCH **COMPLETE**

PROJECTED ITERATIONS: 2091 TO 3509

PROJECTED ANSWERS: 3 TO 163


L2 3 SEA SSS SAM L1

=> d scan

L2 3 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN

IN Pyrazolo[1,5-a]pyrimidin-7-amine, 3-chloro-5-(2-fluorophenyl)-N-4-pyridinyl- (9CI)

MF C17 H11 Cl F N5




10/654,546

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):2


L2 3 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN
IN 2-Piperidineethanol, 1-[3-ethyl-7-[(3-pyridinylmethyl)amino]pyrazolo[1,5-
a]pyrimidin-5-yl]-, (2S)- (9CI)
MF C21 H28 N6 O

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 3 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN
IN Pyrazolo[1,5-a]pyrimidin-7-amine, 3-ethyl-5-methyl-N-propyl- (9CI)
MF C12 H18 N4



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

ALL ANSWERS HAVE BEEN SCANNED

=> s l1 full; file caplus; s l3; s us-5602137?/pn; s GB-1412017?/pn
FULL SEARCH INITIATED 13:47:22 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED - 2964 TO ITERATE

10/654,546

100.0% PROCESSED 2964 ITERATIONS
SEARCH TIME: 00.00.01

86 ANSWERS

L3 86 SEA SSS FUL L1

FILE 'CAPLUS' ENTERED AT 13:47:23 ON 02 NOV 2005
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2005 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 2 Nov 2005 VOL 143 ISS 19
FILE LAST UPDATED: 1 Nov 2005 (20051101/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

<http://www.cas.org/infopolicy.html>

L4 16 L3

L5 1 US-5602137?/PN
(US5602137?/PN)

L6 1 GB-1412017?/PN
(GB1412017?/PN)

=> s l4 not l5 not l6

L7 14 L4 NOT L5 NOT L6

=> sort l7 py

SORT ENTIRE ANSWER SET? (Y)/N:.


PROCESSING COMPLETED FOR L7

L8 14 SORT L7 PY

=> d 1-14 cbib pi fhitr

L8 ANSWER 1 OF 14 CAPLUS COPYRIGHT 2005 ACS on STN
1982:85506 Document No. 96:85506 Synthesis and enzymic activity of 6-carbethoxy- and 6-ethoxy-3,7-disubstituted pyrazolo[1,5-a]pyrimidines and related derivatives as adenosine cyclic 3',5'-phosphate phosphodiesterase inhibitors. Springer, Robert H.; Scholten, M. B.; O'Brien, Darrell E.; Novinson, Thomas; Miller, Jon P.; Robins, Roland K. (Viratek, Inc., Covina, CA, 91722, USA). Journal of Medicinal Chemistry, 25(3), 235-42 (English) 1982. CODEN: JMCMAR. ISSN: 0022-2623.


IT 43024-55-1P
 RL: SPN (Synthetic preparation); PREP (Preparation)
 (preparation and phosphodiesterase inhibition activity of)
 RN 43024-55-1 CAPLUS
 CN Pyrazolo[1,5-a]pyrimidin-7-amine, 3-ethyl-5-methyl-N-propyl- (9CI) (CA INDEX NAME)



L8 ANSWER 2 OF 14 CAPLUS COPYRIGHT 2005 ACS on STN
 1996:196727 Document No. 124:261026 Preparation and formulation of
 pyrazolopyrimidine derivatives as analgesics. Shoji, Yasuo; Inoue,
 Makoto; Okamura, Takashi; Hashimoto, Kinji; Ohara, Masayuki; Yasuda,
 Tsuneo (Otsuka Pharmaceutical Factory, Inc., Japan). PCT Int. Appl. WO
 9535298 A1 19951228, 89 pp. DESIGNATED STATES: W: AU, CA, CN, KR, US;
 RW: AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE.
 (Japanese). CODEN: PIXXD2. APPLICATION: WO 1995-JP1104 19950605.
 PRIORITY: JP 1994-138635 19940621; JP 1995-53997 19950314.

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9535298	A1	19951228	WO 1995-JP1104	19950605
W: AU, CA, CN, KR, US				
RW: AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				
CA 2169719	AA	19951228	CA 1995-2169719	19950605
CA 2169719	C	20020416		
AU 9525765	A1	19960115	AU 1995-25765	19950605
AU 680370	B2	19970724		
EP 714898	A1	19960605	EP 1995-920260	19950605
EP 714898	B1	20011114		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LI, LU, MC, NL, PT, SE				
CN 1131948	A	19960925	CN 1995-190760	19950605
CN 1046730	B	19991124		
JP 08311068	A2	19961126	JP 1995-137878	19950605
JP 3163412	B2	20010508		
JP 08310951	A2	19961126	JP 1995-137890	19950605
JP 3163413	B2	20010508		
AT 208776	E	20011115	AT 1995-920260	19950605
ES 2164153	T3	20020216	ES 1995-920260	19950605
PT 714898	T	20020429	PT 1995-920260	19950605
US 5707997	A	19980113	US 1996-602824	19960221

IT 174859-29-1P
 RL: BAC (Biological activity or effector, except adverse); BSU (Biological
 study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use);
 BIOL (Biological study); PREP (Preparation); USES (Uses)
 (preparation of pyrazolopyrimidine derivs. as analgesics)
 RN 174859-29-1 CAPLUS
 CN Benzamide, N-(5-butyl-3-chloropyrazolo[1,5-a]pyrimidin-7-yl)-3,4,5-
 trimethoxy- (9CI) (CA INDEX NAME)



L8 ANSWER 3 OF 14 CAPLUS COPYRIGHT 2005 ACS on STN

1998:246630 Document No. 128:248613 Adenosine reinforcement agents.
Moritoki, Hideki; Iwamoto, Takeshi; Yasuda, Tsuneo (Otsuka Pharmaceutical Co., Ltd., Japan). Jpn. Kokai Tokkyo Koho JP 10101672 A2 19980421 Heisei, 22 pp. (Japanese). CODEN: JKXXAF. APPLICATION: JP 1997-208772 19970804.
PRIORITY: JP 1996-207171 19960806.


	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	JP 10101672	A2	19980421	JP 1997-208772	19970804
IT	174859-29-1				

RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)

(adenosine reinforcement agents)

RN 174859-29-1 CAPLUS

CN Benzamide, N-(5-butyl-3-chloropyrazolo[1,5-a]pyrimidin-7-yl)-3,4,5-trimethoxy- (9CI) (CA INDEX NAME)



L8 ANSWER 4 OF 14 CAPLUS COPYRIGHT 2005 ACS on STN

1998:246629 Document No. 128:248612 Nitrogen monooxide synthase inhibitors.


Moritoki, Hideki; Iwamoto, Takeshi; Yasuda, Tsuneo (Ootsuka Pharmaceutical Co., Ltd., Japan). Jpn. Kokai Tokkyo Koho JP 10101671 A2 19980421 Heisei, 25 pp. (Japanese). CODEN: JKXXAF. APPLICATION: JP 1997-207867 19970801. PRIORITY: JP 1996-209465 19960808.

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	JP 10101671	A2	19980421	JP 1997-207867	19970801
IT	174859-29-1				

RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(pyrazolopyrimidine derivs. as nitrogen monooxide synthase inhibitors)

RN 174859-29-1 CAPLUS

CN Benzamide, N-(5-butyl-3-chloropyrazolo[1,5-a]pyrimidin-7-yl)-3,4,5-trimethoxy- (9CI) (CA INDEX NAME)



L8 ANSWER 5 OF 14 CAPLUS COPYRIGHT 2005 ACS on STN


1999:467208 Document No. 131:237490 Synthesis and structure-activity relationship of a new series of potent angiotensin II receptor antagonists: pyrazolo[1,5-a]pyrimidine derivatives. Shiota, Takeshi; Yamamori, Teruo; Sakai, Katsunori; Kiyokawa, Mitsugu; Honma, Tsunetoshi; Ogawa, Masayoshi; Hayashi, Kunio; Ishizuka, Natsuki; Matsumura, Ken-Ichi; Hara, Mariko; Fujimoto, Masafumi; Kawabata, Tomoji; Nakajima, Shigeyuki (Shionogi Research Laboratories, Shionogi and Co., Ltd., Osaka, 553-0002, Japan). Chemical & Pharmaceutical Bulletin, 47(7), 928-938 (English) 1999. CODEN: CPBTAL. ISSN: 0009-2363. Publisher: Pharmaceutical Society of Japan.

IT 167371-47-3P

RL: BAC (Biological activity or effector, except adverse); BPR (Biological process); BSU (Biological study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); PROC (Process); USES (Uses)
(synthesis and structure-activity relationship of pyrazolo[1,5-a]pyrimidines as angiotensin II receptor antagonists)

RN 167371-47-3 CAPLUS

CN Pyrazolo[1,5-a]pyrimidin-7-amine, 3-chloro-5-ethyl-N-[[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-yl]methyl]- (9CI) (CA INDEX NAME)



L8 ANSWER 6 OF 14 CAPLUS COPYRIGHT 2005 ACS on STN

2004:878151 Document No. 141:366243 Preparation of pyrazolopyrimidines as cyclin-dependent kinase inhibitors. Guzi, Timothy J.; Paruch, Kamil; Dwyer, Michael P.; Doll, Ronald J.; Girijavallabhan, Viyyoor M.; Mallams, Alan; Alvarez, Carmen S.; Keertikar, Kartik M.; Rivera, Jocelyn; Chan, Tin-Yau; Madison, Vincent; Fischmann, Thierry O.; Dillard, Lawrence W.; Tran, Vinh D.; He, Zhen Min; James, Ray Anthony; Park, Haengsoon; Paradkar, Vidyadhar M.; Hobbs, Douglas Walsh (Schering Corporation, USA; Pharmacopeia, Inc.). U.S. Pat. Appl. Publ. US 2004209878 A1 20041021, 1044 pp., Cont.-in-part of US Ser. No. 654,546 (English). CODEN: USXXCO. APPLICATION: US 2004-776988 20040211. PRIORITY: US 2002-2002/PV40802U 20020904; US 2002-2002/PV42195U 20021029; US 2003-2003/654546 20030903.

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 2004209878	A1	20041021	US 2004-776988	20040211
US 2004209878	A1	20041021	US 2004-776988	20040211
US 2004209878	A1	20041021	US 2004-776988	20040211
WO 2005077954	A2	20050825	WO 2005-US3859	20050208

W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW

RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG


IT 672317-36-1P

RL: PAC (Pharmacological activity); RCT (Reactant); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)

(preparation of pyrazolopyrimidines as cyclin-dependent kinase inhibitors)

RN 672317-36-1 CAPLUS


CN Pyrazolo[1,5-a]pyrimidin-7-amine, N-[(6-chloro-1-oxido-3-pyridinyl)methyl]-3-ethyl-5-phenyl- (9CI) (CA INDEX NAME)



L8 ANSWER 7 OF 14 CAPLUS COPYRIGHT 2005 ACS on STN

2004:857603 Document No. 141:332189 Pyrazolopyrimidine compounds and their use in medicine. Parratt, Martin; Bower, Justin Fairfield; Williamson, Douglas; Cansfield, Andrew (Vernalis Cambridge Limited, UK). PCT Int. Appl. WO 2004087707 A1 20041014, 90 pp. DESIGNATED STATES: W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW; RW: AT, BE, BF, BJ, CF, CG, CH, CI, CM, CY, DE, DK, ES, FI, FR, GA, GB, GR, IE, IT, LU, MC, ML, MR, NE, NL, PT, SE, SN, TD, TG, TR. (English). CODEN: PIXXD2. APPLICATION: WO 2004-GB1214 20040318. PRIORITY: GB 2003-7389 20030331; GB 2003-12296 20030529; GB 2003-19028 20030813; GB 2003-25854 20031105.

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2004087707	A1	20041014	WO 2004-GB1214	20040318
<p>W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW</p> <p>RW: BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG</p>				
IT 771500-11-9P				
<p>RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)</p> <p>(drug candidate; preparation of aminopyrazolopyrimidines with kinase inhibitory activity)</p>				
RN 771500-11-9	CAPLUS			
<p>CN Pyrazolo[1,5-a]pyrimidin-7-amine, 5-chloro-3-ethyl-N-[4-(methylsulfonyl)phenyl]- (9CI) (CA INDEX NAME)</p>				



L8 ANSWER 8 OF 14 CAPLUS COPYRIGHT 2005 ACS on STN

2004:740331 Document No. 141:260763 Preparation of pyrazolo[1,5-
alpyrimidines for treating or preventing protein kinase mediated
disorders. Kataoka, Kenichiro; Suzuki, Naotaka; Kosugi, Tomomi; Imai,
Minoru; Makino, Hiroaki; Takakuwa, Mika; Unoki, Gen; Fujino, Aiko; Oue,
Yasuhiro; Yamakoshi, Yuko; Sugiura, Satoshi; Mitchell, Dale Robert;
Simpson, Donald James; Harris, Clifford John; Le, Joelle (Teijin Pharma
Limited, Japan). PCT Int. Appl. WO 2004076458 A1 20040910, 380 pp.
DESIGNATED STATES: W: AE, AE, AG, AL, AL, AM, AM, AM, AT, AT, AU, AZ, AZ,
BA, BB, BG, BG, BR, BR, BW, BY, BY, BZ, BZ, CA, CH, CN, CN, CO, CO, CR,
CR, CU, CU, CZ, CZ, DE, DE, DK, DK, DM, DZ, EC, EC, EE, EE, EG, ES, ES,
FI, FI, GB, GD, GE, GE, GH, GM, HR, HR, HU, HU, ID, IL, IN, IS, JP, JP,
KE, KE, KG, KG, KP, KP, KR, KR, KZ, KZ, KZ, LC, LK, LR, LS, LS, LT,
LU, LV, MA, MD, MD, MG, MK, MN, MW, MX, MX, MZ, MZ, NA, NI; RW: AT, BE,
BF, BJ, CF, CG, CH, CI, CM, CY, DE, DK, ES, FI, FR, GA, GB, GR, IE, IT,
LU, MC, ML, MR, NE, NL, PT, SE, SN, TD, TG, BF, BJ, CF, CG, CI, CM, GA,
ML, MR, NE, SN, TD, TG, TR. (English). CODEN: PIXXD2. APPLICATION: WO
2004-JP2522 20040301. PRIORITY: GB 2003-4665 20030228; US
2003-2003/PV50069G 20030908; GB 2003-29446 20031219.

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI WO 2004076458	A1	20040910	WO 2004-JP2522	20040301
W:	AE, AE, AG, AL, AL, AM, AM, AM, AT, AT, AU, AZ, AZ, BA, BB, BG, BG, BR, BR, BW, BY, BY, BZ, BZ, CA, CH, CN, CN, CO, CO, CR, CR, CU, CU, CZ, CZ, DE, DE, DK, DK, DM, DZ, EC, EC, EE, EE, EG, ES, ES, FI, FI, GB, GD, GE, GE, GH, GM, HR, HR, HU, HU, ID, IL, IN, IS, JP, JP, KE, KE, KG, KG, KP, KP, KR, KR, KZ, KZ, KZ, LC, LK, LR, LS, LS, LT, LU, LV, MA, MD, MD, MG, MK, MN, MW, MX, MX, MZ, MZ, NA, NI			
RW:	BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			

IT 754204-59-6P


RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(preparation of pyrazolo[1,5-a]pyrimidines for treating or preventing protein kinase mediated disorders)

RN 754204-59-6 CAPLUS

CN Pyrazolo[1,5-a]pyrimidine-5,7-diamine, N5-(trans-4-aminocyclohexyl)-3-chloro-N7-(3-chloro-4-fluorophenyl)- (9CI) (CA INDEX NAME)

Relative stereochemistry.




L8 ANSWER 9 OF 14 CAPLUS COPYRIGHT 2005 ACS on STN
 2004:269996 Document No. 140:303691 Preparation and pharmaceutical compositions of novel pyrazolopyrimidines as cyclin dependent kinase inhibitors. Guzi, Timothy J.; Paruch, Kamil; Dwyer, Michael P.; Doll, Ronald J.; Girijavallabhan, Viyyoor Moopil; Alvarez, Carmen S.; Chan, Tin-Yau; Knutson, Chad; Madison, Vincent; Fischmann, Thierry O.; Dillard, Lawrence W.; Tran, Vinh D.; He, Zhen Min; James, Ray Anthony; Park, Haengsoon (Schering Corporation, USA; Pharmacopeia, Inc.). PCT Int. Appl. WO 2004026229 A2 20040401, 91 pp. DESIGNATED STATES: W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, HR, HU, ID, IL, IN, IS, JP, KG, KR, KZ, LC, LK, LR, LT, LU, LV, MA, MD, MG, MK, MN, MX, MZ, NI, NO, NZ, PG, PH, PL, PT, RO, RU, SC, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UZ, VC, VN, YU, ZA, ZM; RW: AT, BE, BF, BJ, CF, CG, CH, CI, CM, CY, DE, DK, ES, FI, FR, GA, GB, GR, IE, IT, LU, MC, ML, MR, NE, NL, PT, SE, SN, TD, TG, TR. (English). CODEN: PIXXD2. APPLICATION: WO 2003-US27491 20030903. PRIORITY: US 2002-2002/PV408029 20020904.

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI WO 2004026229	A2	20040401	WO 2003-US27491	20030903
WO 2004026229	A3	20040617		
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, HR, HU, ID, IL, IN, IS, JP, KG, KR, KZ, LC, LK, LR, LT, LU, LV, MA, MD, MG, MK, MN, MX, MZ, NI, NO, NZ, PG, PH, PL, PT, RO, RU, SC, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UZ, VC, VN, YU, ZA, ZM			
RW:	GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			
CA 2497544	AA	20040401	CA 2003-2497544	20030903
US 2004106624	A1	20040603	US 2003-653776	20030903
EP 1534712	A2	20050601	EP 2003-796321	20030903
R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK			
IT 676366-35-1P				
RL:	PAC (Pharmacological activity); RCT (Reactant); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP			

(Preparation); RACT (Reactant or reagent); USES (Uses)
 (drug candidate; preparation of pyrazolopyrimidines as cyclin dependent
 kinase inhibitors)

RN 676366-35-1 CAPLUS

CN Benzenesulfonic acid, 4-[(3-ethyl-5-phenylpyrazolo[1,5-a]pyrimidin-7-yl)amino]- (9CI) (CA INDEX NAME)



L8 ANSWER 10 OF 14 CAPLUS COPYRIGHT 2005 ACS on STN

2004:220336 Document No. 140:270873 Preparation of pyrazolopyrimidines as cyclin-dependent kinase inhibitors. Guzi, Timothy J.; Paruch, Kamil; Dwyer, Michael P.; Doll, Ronald J.; Girijavallabhan, Viyyoor Moopil; Mallams, Alan; Alvarez, Carmen S.; Keertikar, Kartik M.; Rivera, Jocelyn; Chan, Tin-yau; Madison, Vincent; Fischmann, Thierry O.; Dillard, Lawrence W.; Tran, Vinh D.; He, Zhen Min; James, Ray Anthony; Park, Haengsoon; Paradkar, Vidyadhar M.; Hobbs, Douglas Walsh (Schering Corporation, USA; Pharmacoepia, Inc.). PCT Int. Appl. WO 2004022561 A1 20040318, 609 pp. DESIGNATED STATES: W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, HR, HU, ID, IL, IN, IS, JP, KG, KR, KZ, LC, LK, LR, LT, LU, LV, MA, MD, MG, MK, MN, MX, MZ, NI, NO, NZ, PG, PH, PL, PT, RO, RU, SC, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UZ, VC, VN, YU, ZA, ZM; RW: AT, BE, BF, BJ, CF, CG, CH, CI, CM, CY, DE, DK, ES, FI, FR, GA, GB, GR, IE, IT, LU, MC, ML, MR, NE, NL, PT, SE, SN, TD, TG, TR. (English). CODEN: PIXXD2. APPLICATION: WO 2003-US27555 20030903. PRIORITY: US 2002-2002/PV40802U 20020904; US 2002-2002/PV421959 20021029.


PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI WO 2004022561	A1	20040318	WO 2003-US27555	20030903
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, HR, HU, ID, IL, IN, IS, JP, KG, KR, KZ, LC, LK, LR, LT, LU, LV, MA, MD, MG, MK, MN, MX, MZ, NI, NO, NZ, PG, PH, PL, PT, RO, RU, SC, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UZ, VC, VN, YU, ZA, ZM			
RW:	GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			
CA 2497440	AA	20040318	CA 2003-2497440	20030903
EP 1537116	A1	20050608	EP 2003-794592	20030903
R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK			
BR 2003014001	A	20050705	BR 2003-14001	20030903

IT 672317-36-1P

RL: PAC (Pharmacological activity); RCT (Reactant); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)
(preparation of pyrazolopyrimidines as cyclin-dependent kinase inhibitors)

RN 672317-36-1 CAPLUS

CN Pyrazolo[1,5-a]pyrimidin-7-amine, N-[(6-chloro-1-oxido-3-pyridinyl)methyl]-3-ethyl-5-phenyl- (9CI) (CA INDEX NAME)



L8 ANSWER 11 OF 14 CAPLUS COPYRIGHT 2005 ACS on STN

2004:220334 Document No. 140:270871 Preparation of pyrazolo[1,5-a]pyrimidines as cyclin dependent kinase inhibitors and anticancer agents. Guzi, Timothy J.; Paruch, Kamil; Dwyer, Michael P.; Doll, Ronald J.; Girijavallabhan, Viyyoor Moopil; Dillard, Lawrence W.; Tran, Vinh D.; He, Zhen Min; James, Ray Anthony; Park, Haengsoon (Schering Corporation, USA; Pharmacopeia, Inc.). PCT Int. Appl. WO 2004022559 A1 20040318, 83 pp. DESIGNATED STATES: W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, HR, HU, ID, IL, IN, IS, JP, KG, KR, KZ, LC, LK, LR, LT, LU, LV, MA, MD, MG, MK, MN, MX, MZ, NI, NO, NZ, PG, PH, PL, PT, RO, RU, SC, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UZ, VC, VN, YU, ZA, ZM; RW: AT, BE, BF, BJ, CF, CG, CH, CI, CM, CY, DE, DK, ES, FI, FR, GA, GB, GR, IE, IT, LU, MC, ML, MR, NE, NL, PT, SE, SN, TD, TG, TR. (English). CODEN: PIXXD2. APPLICATION: WO 2003-US27405 20030903. PRIORITY: US 2002-2002/PV408030 20020904.

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI WO 2004022559	A1	20040318	WO 2003-US27405	20030903
W:			AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, HR, HU, ID, IL, IN, IS, JP, KG, KR, KZ, LC, LK, LR, LT, LU, LV, MA, MD, MG, MK, MN, MX, MZ, NI, NO, NZ, PG, PH, PL, PT, RO, RU, SC, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UZ, VC, VN, YU, ZA, ZM	
RW:			GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG	
CA 2497444	AA	20040318	CA 2003-2497444	20030903
US 2004102451	A1	20040527	US 2003-654157	20030903
EP 1534709	A1	20050601	EP 2003-749317	20030903

R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK


IT 674334-44-2P

RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(preparation of pyrazolo[1,5-a]pyrimidines as cyclin dependent kinase inhibitors and anticancer agents for treating diseases, in particular various cancers, associated with cyclin dependent kinase)

RN 674334-44-2 CAPLUS

CN Pyrazolo[1,5-a]pyrimidin-7-amine, 3-chloro-5-(2-fluorophenyl)-N-3-pyridinyl- (9CI) (CA INDEX NAME)



L8 ANSWER 12 OF 14 CAPLUS COPYRIGHT 2005 ACS on STN

2004:220207 Document No. 140:270868 Preparation of pyrazolo[1,5-a]pyrimidines as cyclin dependent kinase inhibitors and anticancer agents. Guzi, Timothy J.; Paruch, Kamil; Dwyer, Michael P.; Doll, Ronald J.; Girijavallabhan, Viyyoor Moopil; Knutson, Chad; Mckittrick, Brian; Dillard, Lawrence W.; Tran, Vinh D.; He, Zhen Min; James, Ray Anthony; Park, Haengsoon (Schering Corporation, USA; Pharmacoopia, Inc.). PCT Int. Appl. WO 2004022062 A1 20040318, 77 pp. DESIGNATED STATES: W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, HR, HU, ID, IL, IN, IS, JP, KG, KR, KZ, LC, LK, LR, LT, LU, LV, MA, MD, MG, MK, MN, MX, MZ, NI, NO, NZ, PG, PH, PL, PT, RO, RU, SC, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UZ, VC, VN, YU, ZA, ZM; RW: AT, BE, BF, BJ, CF, CG, CH, CI, CM, CY, DE, DK, ES, FI, FR, GA, GB, GR, IE, IT, LU, MC, ML, MR, NE, NL, PT, SE, SN, TD, TG, TR. (English). CODEN: PIXXD2. APPLICATION: WO 2003-US27564 20030903. PRIORITY: US 2002-2002/PV408182 20020904.

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
------------	------	------	-----------------	------

PI	WO 2004022062	A1	20040318	WO 2003-US27564	20030903
	W:			AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, HR, HU, ID, IL, IN, IS, JP, KG, KR, KZ, LC, LK, LR, LT, LU, LV, MA, MD, MG, MK, MN, MX, MZ, NI, NO, NZ, PG, PH, PL, PT, RO, RU, SC, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UZ, VC, VN, YU, ZA, ZM	
	RW:			GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG	
	CA 2497539	AA	20040318	CA 2003-2497539	20030903
	US 2004102452	A1	20040527	US 2003-654163	20030903
	EP 1545533	A1	20050629	EP 2003-794594	20030903

R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK


IT 674297-73-5P

RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(preparation of pyrazolo[1,5-a]pyrimidines as cyclin dependent kinase inhibitors and anticancer agents for treating diseases, in particular various cancers, associated with cyclin dependent kinase)

RN 674297-73-5 CAPLUS

CN Carbamic acid, (3-ethyl-5-phenylpyrazolo[1,5-a]pyrimidin-7-yl)-, 3-pyridinyl ester (9CI) (CA INDEX NAME)



L8 ANSWER 13 OF 14 CAPLUS COPYRIGHT 2005 ACS on STN

2005:232568 Document No. 142:291383 Nitrosated and nitrosylated cardiovascular compounds, compositions, and methods of therapeutic use. Garvey, David S.; Letts, Gordon L.; Worcel, Manuel (Nitromed, Inc., USA). PCT Int. Appl. WO 2005023182 A2 20050317, 126 pp. DESIGNATED STATES: W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW; RW: AT, BE, BF, BJ, CF, CG, CH, CI, CM, CY, DE, DK, ES, FI, FR, GA, GB, GR, IE, IT, LU, MC, ML, MR, NE, NL, PT, SE, SN, TD, TG, TR. (English). CODEN: PIXXD2. APPLICATION: WO 2004-US26910 20040820. PRIORITY: US 2003-2003/PV49830U 20030828; US 2004-2004/PV535542 20040112.

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI WO 2005023182	A2	20050317	WO 2004-US26910	20040820
W:				
AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW:				
BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE,				

SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE,
 SN, TD, TG

US 2005059655 A1 20050317 US 2004-921936 20040820
 WO 2005023183 A2 20050317 WO 2004-US26911 20040820

W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH,
 CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD,
 GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC,
 LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI,
 NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY,
 TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW

RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM,
 AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK,
 EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE,
 SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE,
 SN, TD, TG


IT 167371-59-7D, nitrosated/nitrosylated derivs.

RL: PAC (Pharmacological activity); THU (Therapeutic use); BIOL
 (Biological study); USES (Uses)

(nitrosated and nitrosylated cardiovascular compds., compns., and
 therapeutic use)

RN 167371-59-7 CAPLUS

CN Pyrazolo[1,5-a]pyrimidin-7-amine, 3,5-diethyl-N-[[2'-(1H-tetrazol-5-
 yl)[1,1'-biphenyl]-4-yl]methyl]- (9CI) (CA INDEX NAME)



L8 ANSWER 14 OF 14 CAPLUS COPYRIGHT 2005 ACS on STN

2005:86349 Document No. 142:253677 Structure-guided design of
 pyrazolo[1,5-a]pyrimidines as inhibitors of human cyclin-dependent kinase
 2. Williamson, Douglas S.; Parratt, Martin J.; Bower, Justin F.; Moore,
 Jonathan D.; Richardson, Christine M.; Dokurno, Pawel; Cansfield, Andrew
 D.; Francis, Geraint L.; Hebdon, Richard J.; Howes, Rob; Jackson, Philip
 S.; Lockie, Andrea M.; Murray, James B.; Nunns, Claire L.; Powles,
 Jenifer; Robertson, Alan; Surgenor, Allan E.; Torrance, Christopher J.
 (Granta Park, Vernalis (R&D) Ltd., Cambridge, CB1 6GB, UK). Bioorganic &
 Medicinal Chemistry Letters, 15(4), 863-867 (English) 2005. CODEN:
 BMCLE8. ISSN: 0960-894X. OTHER SOURCES: CASREACT 142:253677. Publisher:
 Elsevier B.V..

IT 771506-60-6P

RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU

10/654,546


(Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(structure-guided design of pyrazolo[1,5-a]pyrimidines as CDK2 inhibitors)

RN 771506-60-6 CAPLUS

CN Benzenesulfonamide, 4-[[5-[(trans-4-aminocyclohexyl)amino]-3-chloropyrazolo[1,5-a]pyrimidin-7-yl]amino]-N,N-dimethyl- (9CI) (CA INDEX NAME)

Relative stereochemistry.



=>

=> d 1-5 chib pi hitstr

L8 ANSWER 1 OF 14 CAPLUS COPYRIGHT 2005 ACS on STN


1982:85506 Document No. 96:85506 Synthesis and enzymic activity of 6-carbethoxy- and 6-ethoxy-3,7-disubstituted pyrazolo[1,5-a]pyrimidines and related derivatives as adenosine cyclic 3',5'-phosphate phosphodiesterase inhibitors. Springer, Robert H.; Scholten, M. B.; O'Brien, Darrell E.; Novinson, Thomas; Miller, Jon P.; Robins, Roland K. (Viratek, Inc., Covina, CA, 91722, USA). Journal of Medicinal Chemistry, 25(3), 235-42 (English) 1982. CODEN: JMCMAR. ISSN: 0022-2623.

IT 43024-55-1P

RL: SPN (Synthetic preparation); PREP (Preparation)
(preparation and phosphodiesterase inhibition activity of)

RN 43024-55-1 CAPLUS

CN Pyrazolo[1,5-a]pyrimidin-7-amine, 3-ethyl-5-methyl-N-propyl- (9CI) (CA INDEX NAME)




L8 ANSWER 2 OF 14 CAPLUS COPYRIGHT 2005 ACS on STN

1996:196727 Document No. 124:261026 Preparation and formulation of


pyrazolopyrimidine derivatives as analgesics. Shoji, Yasuo; Inoue, Makoto; Okamura, Takashi; Hashimoto, Kinji; Ohara, Masayuki; Yasuda, Tsuneo (Otsuka Pharmaceutical Factory, Inc., Japan). PCT Int. Appl. WO 9535298 A1 19951228, 89 pp. DESIGNATED STATES: W: AU, CA, CN, KR, US; RW: AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE. (Japanese). CODEN: PIXXD2. APPLICATION: WO 1995-JP1104 19950605. PRIORITY: JP 1994-138635 19940621; JP 1995-53997 19950314.

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI WO 9535298	A1	19951228	WO 1995-JP1104	19950605
W: AU, CA, CN, KR, US				
RW: AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				
CA 2169719	AA	19951228	CA 1995-2169719	19950605
CA 2169719	C	20020416		
AU 9525765	A1	19960115	AU 1995-25765	19950605
AU 680370	B2	19970724		
EP 714898	A1	19960605	EP 1995-920260	19950605
EP 714898	B1	20011114		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LI, LU, MC, NL, PT, SE				
CN 1131948	A	19960925	CN 1995-190760	19950605
CN 1046730	B	19991124		
JP 08311068	A2	19961126	JP 1995-137878	19950605
JP 3163412	B2	20010508		
JP 08310951	A2	19961126	JP 1995-137890	19950605
JP 3163413	B2	20010508		
AT 208776	E	20011115	AT 1995-920260	19950605
ES 2164153	T3	20020216	ES 1995-920260	19950605
PT 714898	T	20020429	PT 1995-920260	19950605
US 5707997	A	19980113	US 1996-602824	19960221
IT 174859-29-1P 174859-31-5P 174859-32-6P				
RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)				
(preparation of pyrazolopyrimidine derivs. as analgesics)				
RN	174859-29-1 CAPLUS			
CN	Benzamide, N-(5-butyl-3-chloropyrazolo[1,5-a]pyrimidin-7-yl)-3,4,5-trimethoxy- (9CI) (CA INDEX NAME)			




RN 174859-31-5 CAPLUS

CN Benzamide, N-(5-butyl-3-chloropyrazolo[1,5-a]pyrimidin-7-yl)-2-(trifluoromethyl)- (9CI) (CA INDEX NAME)



RN 174859-32-6 CAPLUS

CN Benzamide, N-(3-chloropyrazolo[1,5-a]pyrimidin-7-yl)-3,4,5-trimethoxy-
(9CI) (CA INDEX NAME)



L8 ANSWER 3 OF 14 CAPLUS COPYRIGHT 2005 ACS on STN

1998:246630 Document No. 128:248613 Adenosine reinforcement agents.
Moritoki, Hideki; Iwamoto, Takeshi; Yasuda, Tsuneo (Otsuka Pharmaceutical
Co., Ltd., Japan). Jpn. Kokai Tokkyo Koho JP 10101672 A2 19980421 Heisei,
22 pp. (Japanese). CODEN: JKXXAF. APPLICATION: JP 1997-208772 19970804.
PRIORITY: JP 1996-207171 19960806.


	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	JP 10101672	A2	19980421	JP 1997-208772	19970804
IT	174859-29-1 205041-84-5				

RL: BAC (Biological activity or effector, except adverse); BSU (Biological
study, unclassified); THU (Therapeutic use); BIOL (Biological study); USES
(Uses)

(adenosine reinforcement agents)


RN 174859-29-1 CAPLUS

CN Benzamide, N-(5-butyl-3-chloropyrazolo[1,5-a]pyrimidin-7-yl)-3,4,5-
trimethoxy- (9CI) (CA INDEX NAME)



RN 205041-84-5 CAPLUS

CN Benzamide, N-(5-butyl-3-chloropyrazolo[1,5-a]pyrimidin-7-yl)-3-(trifluoromethyl)- (9CI) (CA INDEX NAME)



L8 ANSWER 4 OF 14 CAPLUS COPYRIGHT 2005 ACS on STN

1998:246629 Document No. 128:248612 Nitrogen monooxide synthase inhibitors. Moritoki, Hideki; Iwamoto, Takeshi; Yasuda, Tsuneo (Otsuka Pharmaceutical Co., Ltd., Japan). Jpn. Kokai Tokkyo Koho JP 10101671 A2 19980421 Heisei, 25 pp. (Japanese). CODEN: JKXXAF. APPLICATION: JP 1997-207867 19970801. PRIORITY: JP 1996-209465 19960808.

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	JP 10101671	A2	19980421	JP 1997-207867	19970801


IT 174859-29-1 205041-84-5

RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)

(pyrazolopyrimidine derivs. as nitrogen monooxide synthase inhibitors)


RN 174859-29-1 CAPLUS

CN Benzamide, N-(5-butyl-3-chloropyrazolo[1,5-a]pyrimidin-7-yl)-3,4,5-trimethoxy- (9CI) (CA INDEX NAME)



RN 205041-84-5 CAPLUS

CN Benzamide, N-(5-butyl-3-chloropyrazolo[1,5-a]pyrimidin-7-yl)-3-(trifluoromethyl)- (9CI) (CA INDEX NAME)



L8 ANSWER 5 OF 14 CAPLUS COPYRIGHT 2005 ACS on STN

1999:467208 Document No. 131:237490 Synthesis and structure-activity relationship of a new series of potent angiotensin II receptor antagonists: pyrazolo[1,5-a]pyrimidine derivatives. Shiota, Takeshi; Yamamori, Teruo; Sakai, Katsunori; Kiyokawa, Mitsugu; Honma, Tsunetoshi; Ogawa, Masayoshi; Hayashi, Kunio; Ishizuka, Natsuki; Matsumura, Ken-Ichi; Hara, Mariko; Fujimoto, Masafumi; Kawabata, Tomoji; Nakajima, Shigeyuki (Shionogi Research Laboratories, Shionogi and Co., Ltd., Osaka, 553-0002, Japan). Chemical & Pharmaceutical Bulletin, 47(7), 928-938 (English) 1999. CODEN: CPBTAL. ISSN: 0009-2363. Publisher: Pharmaceutical Society of Japan.

IT 167371-47-3P 167371-59-7P 244127-03-5P


RL: BAC (Biological activity or effector, except adverse); BPR (Biological process); BSU (Biological study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); PROC (Process); USES (Uses)
(synthesis and structure-activity relationship of pyrazolo[1,5-a]pyrimidines as angiotensin II receptor antagonists)

RN 167371-47-3 CAPLUS

CN Pyrazolo[1,5-a]pyrimidin-7-amine, 3-chloro-5-ethyl-N-[[2'-(1H-tetrazol-5-


10/654,546

yl) [1,1'-biphenyl]-4-yl)methyl]- (9CI) (CA INDEX NAME)




RN 167371-59-7 CAPLUS

CN Pyrazolo[1,5-a]pyrimidin-7-amine, 3,5-diethyl-N-[[2'-(1H-tetrazol-5-yl) [1,1'-biphenyl]-4-yl)methyl]- (9CI) (CA INDEX NAME)



RN 244127-03-5 CAPLUS

CN Pyrazolo[1,5-a]pyrimidin-7-amine, 3-ethyl-5-methyl-N-[[2'-(1H-tetrazol-5-yl) [1,1'-biphenyl]-4-yl)methyl]- (9CI) (CA INDEX NAME)




IT 167371-46-2P 167371-58-6P 244127-50-2P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(synthesis and structure-activity relationship of pyrazolo[1,5-a]pyrimidines as angiotensin II receptor antagonists)

RN 167371-46-2 CAPLUS


CN [1,1'-Biphenyl]-2-carbonitrile, 4'-[[[(3-chloro-5-ethylpyrazolo[1,5-a]pyrimidin-7-yl)amino]methyl]- (9CI) (CA INDEX NAME)



RN 167371-58-6 CAPLUS


CN [1,1'-Biphenyl]-2-carbonitrile, 4'-[[[(3,5-diethylpyrazolo[1,5-a]pyrimidin-7-yl)amino]methyl]- (9CI) (CA INDEX NAME)

10/654,546



RN 244127-50-2 CAPLUS

CN [1,1'-Biphenyl]-2-carbonitrile, 4'-[[[3-ethyl-5-methylpyrazolo[1,5-a]pyrimidin-7-yl)amino]methyl]- (9CI) (CA INDEX NAME)



=> logoff

ALL L# QUERIES AND ANSWER SETS ARE DELETED AT LOGOFF
LOGOFF? (Y)/N/HOLD:.

STN INTERNATIONAL LOGOFF AT 13:51:38 ON 02 NOV 2005